

## HM-B201-MACRO Thermography Camera Macro Lens



The HIKMICRO HM-B201-MACRO macro lens allows you to spot potential design flaws, evaluate PCB hot spots, and inspect small electronic components. Easily clips onto HIKMICRO B-series thermal imaging cameras.

### Key Features

- High Accuracy: Max( $\pm 3$  °C/5.4 °F,  $\pm 3\%$ ), for object temperature between 0 °C (32 °F) to 150 °C (302 °F)
- See Smaller: Small details are clearly visible, imaging the target as small as 100  $\mu\text{m}$  x 100  $\mu\text{m}$
- Easy installation: Easy to attach the macro lens to compatible cameras
- No Calibration Required: Ready to use once installed, saves the hassle of sending the camera to the manufacturer to calibrate the lens

## ▪ Specification

| Infrared Image               |                                                 |
|------------------------------|-------------------------------------------------|
| Focal Length                 | 4.6 mm                                          |
| FOV (Field of View)          | 36° (H) × 28° (V)                               |
| IFOV (Spatial Resolution)    | 2.55mrad                                        |
| Focus Distance               | 30 mm ± 1 mm (1.18" ± 0.04")                    |
| Min. Target Size for Imaging | 100 µm × 100 µm                                 |
| Min. Temperature Target      | 500 µm × 500 µm                                 |
| Measurement and Analysis     |                                                 |
| Object Temperature Range     | -20 to 150°C (-4 to 302°F)                      |
| Accuracy                     | Max(±3°C/5.4°F, ±3%)                            |
| General                      |                                                 |
| Working Temperature Range    | -20°C to 50°C (-4°F to 122°F)                   |
| Weight                       | 14 g (0.03lb)                                   |
| Dimension                    | 51.4 mm × 65 mm × 25 mm (2.02" × 2.56" × 0.98") |

## ▪ Typical Application

- Research & Development
- Electronic Design Verification and Validation
- Printed Circuit Board (PCB) Inspection
- Electronic Component Testing
- Mobile Phone Repair

## ▪ Running Environment

HIKMICRO HM-B201-MACRO macro lens allows you to focus extremely close up 30mm on a very small subject so that it appears much larger in the view (and in the final image) compared to the standard lens.


It allows you to capture accurate temperature measurements of small targets as small as 500µm x 500µm without changing lenses.

Get an incredibly detailed image of very small objects so you can gain insight into thermal buildup and dissipation on printed circuit boards, identify a faulty or undersized component, or potentially even pinpoint precise faulty locations on electrical equipment.

## ▪ Available Model

HM-B201-MACRO

## ▪ Dimension



## ▪ Compatible Products

**B1L**



**B2L**



**B20**



**B10**



**B11**



**B21L**



**B01**



**B20S**



**B01S**



**B10S**



**B21LS**



**B11S**





**GHV Trading, spol. s r. o.**  
Edisonova 3  
612 00 Brno

Tel. CZ: +420 541 235 532-4

Tel. SK: +421 255 640 293

e-mail: [ghv@ghvtrading.cz](mailto:ghv@ghvtrading.cz), [ghv@ghvtrading.sk](mailto:ghv@ghvtrading.sk)

www: [www.ghvtrading.cz](http://www.ghvtrading.cz), [www.ghvtrading.sk](http://www.ghvtrading.sk)

HIKMICRO Thermography hikmicro\_thermography HIKMICRO Thermography HIKMICRO [info@hikmicrotech.com](mailto:info@hikmicrotech.com) <http://hikmicrotech.com/en>

© Hangzhou Microimage Software Co., Ltd. All Rights Reserved.

\*Note: Specifications are subject to change without notice. For the current specs,  
please go to [www.hikmicrotech.com](http://www.hikmicrotech.com)